

furka plus

7019.01 - 7019.45



binder

upholstery

03

vinyl

omschrijving

matglanzende uni met fijne nerf

samenstelling

geschuimde vinyl, katoen/polyester backing

breedte

± 140 cm, ± 55 inches

gewicht

backing: ± 110 gr/m², ± 5 oz/yd¹

coating: ± 690 gr/m², ± 31 oz/yd¹

dikte

1.1 mm, 0.04 inches

rollengte

± 20 meter, ± 22 yards

brandwerendheid

EN 1021/1-2

BS 5852, crib 5

NF P 92/503-507, M2

DIN 4102, B2

IMO 2010 FTP, part 8

UNI 9175, classe 1

Cal TB 117-2013

NF D60-013 (AM18)

NFPA 260, class 1

slijtvastheid

ISO 12947-2

> 125.000 rubs martindale

ASTM D4157

50.000 double rubs wyzenbeek

wrijftechtheid

ISO 105-X12

nat 5 / droog 5 (schaal 1-5)

lichtechtheid

ISO 105-B02

7-8 (schaal 1-8)

AATCC 16.3: 40 hours

5 (schaal 1-5)

urinebestendigheid

goed

huidvetbestendigheid

goed



vinyl 
COMMITTED TO
SUSTAINABLE DEVELOPMENT

furka plus

7019.01 - 7019.45

								
7019.12	7019.13	7019.08	7019.05	7019.02	7019.01	7019.25	7019.04	7019.29
								
7019.09	7019.14	7019.17	7019.07	7019.06	7019.21	7019.26	7019.30	7019.34
								
7019.16	7019.11	7019.15	7019.10	7019.03	7019.39	7019.22	7019.19	7019.23
								
7019.31	7019.36	7019.35	7019.27	7019.28	7019.40	7019.42	7019.18	7019.44
								
7019.33	7019.32	7019.20	7019.24	7019.37	7019.38	7019.41	7019.43	7019.45